## In the United States Patent and Trademark Office

Appn. Number:	
Appn. Filed:	
Applicant(s): Johs etal.	
Appn. Title: EILIPSOMETER OR POL	ARIMETER AND THELIKE SYSIEM
Examiner/GAU:	ARIMETER AND THELIKE SYSTEM  1324 WITH BEAM CHROMATIC  SHIFTING AND DIR- ECTING MEAN
	ECTING MEANS
•	Mailed: WITH APPLICATION
	At:

### Information Disclosure Statement

Commissioner of Patents and Trademarks Washington, District of Columbia 20231

Sir:

Attached is a completed Form PTO-1449 and copies of the pertinent parts of the references cited thereon. Following are comments on these references pursuant to Rule 98:

# IDENTIFIED PATENTS

Patents of which the Inventor is aware include those to:

Woollam et al, No. 5,373,359, Johs et al. No. 5,666,2015 Green et al., No. 5,521,706, Johs et al., No. 5,504,582

and are disclosed for general information as they pertain to ellipsometer systems.

Further Patents of which the Inventor is aware include:

Nos. 5,757,494 and 5,956,145 to Green et al., in which are taught a method for extending the range of Rotating Analyzer/Polarizer ellipsometer systems to allow measurement of DELTA'S near zero (0.0) and one-hundred-eighty (180) degrees, and the extension of modulator element ellipsometers to PSI'S of forty-five (45) degrees. Said Patents describes the presence of a variable, transmissive, bi-refringent component which is added, and the application thereof during data acquisition to enable the identified capability.

Patent No. 5,706,212 to Thompson et al. is also disclosed as it teaches a mathematical regression based double Fourier series ellipsometer calibration procedure for application,

RE 34,783, 4,373,817, and 5,045,704 to Coates.

Patent to Bjork et al., No. 4,647,207 is disclosed as it describes an ellipsometer system which has provision for sequentially positioning a plurality of reflective polarization state modifiers in a beam of electromagnetic radiation. While said 207 Patent mentions investigating a sample system in a transmission mode, no mention or suggestion is found for utilizing a plurality of transmitting polarization state modifiers. Patent Nos.:

4,210,401; 4,332,476; and 4,355,903;

are also identified as being cited in the 207 Patent. It is noted that systems as disclosed in these Patents, (particularly in the 476 Patent), which utilize reflection form an element to modify a polarization state can, if such an element is an essential duplicate of an investigated sample and is rotated ninety degrees therefrom, the effect of the polarization state modifying element on the electromagnetic beam effect is extinguished by the sample.

Patent to Mansuripur et al., No. 4,838,695 is disclosed as it describes an apparatus for measuring reflectivity.

Patents to Rosencwaig et al., Nos.:

4,750,822; and 5,595,406

are also identified as they describe systems which impinge electromagnetic beams onto sample systems at oblique angles of incidence. The 406 Patent provides for use of multiple wavelengths and multiple angles of incidence. For similar reasons Patent No.:

5,042,951

to Gold et al. is also disclosed.

Patent to Osterberg, No. 2,700,918 describes a microscope with variable means for increasing the visibility of optical images, partially comprised of discrete bi-refringent plates which can be positioned in the pathway between an eyepiece and an observed object. Other Patents identified in a Search which identified said 918 Patent are Nos.:

3,183,763 to Koester;

primarily, in calibrating ellipsometers system utilized in infrared wavelength range. Bi-refringent, transmissive window-like compensators are described as present in the system thereof, and discussion of correlation of retardations entered by sequentially adjacent elements which do not rotate with respect to one another during data acquisition is described therein.

Patent to He et al., No. 5,963,327 is disclosed as it describes an ellipsometer system which enables providing a polarized beam of electromagnetic radiation at an oblique angle-of-incidence to a sample system in a small spot area.

Patent to Johs et al., No. 5,872,630 is disclosed as it describes an ellipsometer system in which an analyzer and polarizer are maintained in a fixed in position during data acquisition, while a compensator is caused to continuously rotate.

Patent to Dill et al., No. 4,953,232 is disclosed as it describes a rotating compensator ellipsometer system.

Patents disclosed as they Claim various Compensator Designs are:

```
No. 5,946,098 to Johs et al.;

No. 5,963,325 to Johs et al.;

No. 6,084,674 to Johs et al.;

No. 6,084,675 to Herzinger et al.;

No. 6,100,981 to Johs et al.;

No. 6,118,537 to Johs et al.;

No. 6,141,102 to Johs et al.
```

Patent 4,556,292 to Mathyssek et al. and

Patent No. 5,475,525 to Tournois et al.;

are disclosed as they were cited in examination of some of the just disclosed Patents.

Patent to Coates et al., No. 4,826,321 is disclosed as it describes applying a reflected monochromatic beam of plane polarized electromagnetic radiation at a Brewster angle of incidence to a sample substrate to determine the thickness of a thin film thereupon. This Patent also describes calibration utilizing two sample substrates, which have different depths of surface coating.

Other Patents which describe use of reflected electromagnetic radiation to investigate sample systems are:

4,105,338 to Kuroha; 3,992,104 to Watanabe;

and a Russian Patent, No. SU 1518728. Said other Patents are not believed to be particularly relevant, however.

Patent No. 5,329,357 to Bernoux et al. is also identified as it Claims use of fiber optics to carry electromagnetic radiation to and from an ellipsometer system which has at least one polarizer or analyzer which rotates during data acquisition. It is noted that if both the polarizer and analyzer are stationary during data acquisition that this Patent is not controlling where electromagnetic radiation carrying fiber optics are present.

Patent No. 6,628,917 to Johs is disclosed as present invention preferred practice is to utilize a spectroscopic source of electromagnetic radiation with a relatively flat spectrum over a large range of wavelengths.

Patent to Chen et al., No. 5,581,350, is disclosed as it describes a method for regression calibration of ellipsometers.

Patent No. 6,608,526 to Piwonka-Corle et al is disclooed, as is

Patent No. 5,596,411 to Fanton et al.,

as the Applicant is aware thereof.

### IDENTIFIED SCIENTIFIC PAPERS

A paper by Johs, titled "Regression Calibration Method for Rotating Element Ellipsometers", Thin Solid Films, 234 (1993) is also disclosed as it describes a mathematical regression based approach to calibrating ellipsometer systems.

Another paper, by Gottesfeld et al., titled "Combined Ellipsometer and Reflectometer Measurements of Surface Processes on Nobel Metals Electrodes", Surface Sci., 56 (1976), is also identified.

A paper by Smith, titled "An Automated Scanning Ellipsometer", Surface Science, Vol. 56, No. 1. (1976), is also mentioned as it describes an ellipsometer system which does not require any moving, (eg. rotating), elements during data acquisition.

Additional papers, by Azzam and Azzam et al. are also identified as concerning alternative approaches to the goal of the present invention, and are titled:

"Multichannel Polarization State Detectors For Time-Resolved Ellipsometry", Thin Solid Film, 234 (1993); and

In A Coated Dielectric Slab", Thin Solid Films 313 (1998); and

And two more papers by Azzam et al. are also disclosed:

General Analysis And Optimization Of The Four-Detector Photopolarimeter", J. Opt. Soc. Am., A, Vol. 5, No. 5 (May 1988); and

/ "Accurate Calibration Of Four-Detector Photopolarimeter With Imperfect Polarization Optical Elements", J. Opt. Soc. Am., Vol. 6, No. 10, (Oct. 1989);

REG. NO. 31,216

A review paper by Collins, titled "Automatic Rotating Element Ellipsometers: Calibration, Operation and Real-Time Applications", Rev. Sci. Instrum., 61(8) (1990), is identified for general information.

i															Sheel		7
10 ms FT	D-144	٠.					•	U.1	CHI AND	ENT OF COMMER	ICK ICK	ATTY. DUCKET HO	•		SCRIAL HO.	•	·
L	IST (								D BY API			APPLICANT (	Tol	ns e	Tal		
		(Vai	0 40	re	ral	£?	co	13	il necessa	nry)		FILING DATE			GNOUP		
										U.S. PATE	EHT C	OCUMENTS	<del></del>				
EVAMINE P INITIAL	1	Ö	ocu	ME	нT	KU	MBI	ER	DAYE		1	НАМЕ	CLAŠS	SUBCLASS	FILI IF APP	NG DATE	
	AA	<del>-121/121/1</del>					<b>k</b> -	5	12/1994	1 100	Woo Han eTal.				J28		
	AB	56662019/1997 Johre 55217065/1996 Green					[ali		356	369							
	AC	5	3	2	1	2	P	6	5/1991	Gree	·~	etal.		357	369		
	AD	5	5	0	4.	5	8	2	4/1990	John	· e	Tali		356	369		
	AE	5	7	5	2	M	9	4	5/1998	orre	·~	eTel.	•	352	369		
	AF	5	15	5	6	1	4	5	9/1999	Gre.	<i>ب</i> .	etal.	·	352	364		
	AG	5	7	0	6	2	)	2	1/1998	The most	o so	~ eTal.		356	525		
	AH	R	٤	3	į	2	S	3	11/1994		-			250	372		
	AI	4	3	2	3	8	1	2	2/1987	[ Coa]	Tei	/ <u>:</u>		356	1384		
	Y.	5	0	4	5	7	V	4	9/1991	Coal	es			250	372		
	AK	14	6	4	7	2	0	2	3/1987	Bio	1	etal		352	369		
· ,		·						y		FOREIGH PA	TENT	T DOCUMENTS					
		000	CUMENT NUMBER			۸	DATE		COUNTRY			CLASS	SUBCLASS	TRANSLATION YES NO			
	AL		T	1	T	1	T	1	<del> </del>		•			<del></del>			""
	АМ		1	1	7	7	7	1					1				
* *************************************						01	HE	R	PRIOR AR	Y (Including Auti	hor, T	Tille, Date, Petinen	J Page	. Eic.)			
												1					
	AR										*****			· ************************************			
		$\exists$												<del></del>	<del>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</del>		
	AS												•			-	
ZAMINER			-					~~		· · · · · · · · · · · · · · · · · · ·	UA	TE CONSIDERED					
												n conformance with			. line through	citation	if not

USCOMM-DC #9-3948

ţ

													Sheel		<u> </u>
10mm F70		• .					,	U.1	CHI AND 1	CHT OF COMMERCE	ATTY. DUCKET HO.		ENIAL HO.	•	
LI	ST O	FP	RIC	R	AR	T	CI.	TE	D BY APF	· · · · · · · · · · · · · · · · · · ·	APPLICANT	 7		<del></del>	
									il necessa		FILING DATE	1-01	choup	<u>:</u>	
<del>*</del>															
EXAMINER	1	Τ.			٠				Υ	U.S. PATENT		T :	T	F11.11	MG DATE
AITIAL	_	10	OCU	HE T	TH	NU T	MB	ER	DAYE		HAME	CLASS	SUBCLASS	IF APP	NG DATE ROPRIAT
	AA	14	2	1	0	14		2	7/1980	Ballen		356	369		
	AB	14	3	3	2	14	<b>b</b>	6	6/198	4 STen	berg etcl	306	365		
	AC	4	3	5	7	9	p	3	10/1987	Shale	-ock	356	672		
	AD	14	8	3	8	6	9	5	6/1980	Many	ripuretal.	356	369		
	AE	4	17	3	0	8	2	2	6/1988	POSENCU		352.	445		
	٨۴	5	5	9	6	4	0	6	1/1997		wais etal	356	327		
	AG	5	U	4	2	9	5	F	8/1991		etal.	356	369		
	AĤ	2	5	v	0	9	7	8	2/1953		es old.				
	Al	3	li	8	3	5	6		5/1965	HoerTe					
	LA.	5	9	6	3	3			10/1999	He et.	al,	356	769		
	AK	5	8	7	2	Ъ	3	0	2/1999	Johne	Tel.	357	369		
		·		لـــــ						FOREIGH PATEN	T DOCUMENTS		<u> </u>	1	-
		000	DOCUMENT MUNBER					*	DATE	Cour	ITRY	CLASS	SUBCLASS	TRANSLATION YES HO	
	AL			٦	1	1	7	7			•				
	АМ			1		7	7	1							
l-	l					01	THE	R	PRIOR AR	I (Including Author,	Title, Data, Pattinanj Pa	ges, Eic.)			1
	AR														
	7														
		7							·						<del></del>
	AS	1													
AMINER		ــــــــــــــــــــــــــــــــــــــ						~~~		D	ATE CONSIDERED				
AMINER	i lai	tiel	lf ee	· lo	/en		c an	• 14	ered, what	ar or not citation is	In conformence with MPE	P 607; Diev	· line through	citation	if not

USCOMM-DC 89-3985

ŧ

-																Shool	<u> </u>	<u> </u>	
10 PM FT	D-144	,						U.	1. D	EPANTH I AND 1	CHT OF MAUSUMA	ATTY	. DUCKET HO.		SERIAL HO.				
L	IST (									BY APP		τ .		APPLICANT John		eTd.:			
				-							U.	S. PATEN	T DOCUM	ENTS					
EKAMINE! JAITIAL	1	DOCUMENT NUMBER								DAYE		NAME			CLASS	SUBCLASS	IF AP	ING DATE PROPRIATE	
	AA	14	0	3		3/2	2/3	7	1,	1977	P	ill e	ان آدا		356	118			
	AB	5	9	ı	16	0	19	8	8	11999	_	Tohs	eTal		372	364			
	AC	5	9	6	3	3	2	5	16	/1999		The s	eTag	1.	356	364			
	AD	6	0	8	4	6	2	4	2	12000	J	oh,	eta	r (	352	364			
	AE	6	6084675					7	7	12000	4	er 3-1-	see-	etali.	306	: 364			
	AF	6	1	0	0	9	5	1	Ė	12000	Í	who	eTa	l.	356	364			
	AG	6	1	1	8	2	3	7	9	12000	J	chi	eT	al.	352	369			
	AH	6	Ц	4	<u>i</u>	1	0	2	10	12000	J	ch	eT	-l.	352	364			
	AI	14	2	<u>J</u>	6	2	4	2	12	11985	N	12/hy	Jehi	etcl.	350	394			
-	LA.	<u> </u>	4	2	5	5	2	ز	12	1955	Jo	orthe	u) e	Td.	359	245			
	YK	14	8	2	6	3	2		5	1989	(	0 4e.	1 eT	el,	358	35/			
· · ·		,						7			FORE	IGH PATE	HT DOCU	MEHTS			<del></del>		
		000	LUM	E M	T M	UN	DE.	1		ATE	·	COL	JHTHY		CLASS	SUBCLASS	YRAHS	HO	
	AL		4	$\downarrow$		_	$\downarrow$												
	AM		$\perp$																
<del></del>						01	HE	R	PRI	OR ARY	(Includ	ing Author	, Title, D	ile, Perlinent Par					
	AR	-									<del></del>					•			
	$\dashv$	-									<del></del>	····		<del></del>					
	AS		<del></del>	<del></del> ,		<del></del>							·	<del></del>					
AHIHER			·					~				للمستند							
mm&#													DAIE CO	HSIDERED					
XAMINER	i jai	isiel i	l 10	lo:	enc		· · ·	ıdı		, whatha	. or not	citation is	in confe	mence with MPE	P 601; Die.	· line through	citation	if not	

USCOMM-OC #9-3948

ŧ

													Sheel	.,	_5
10 mg F 7 0															
LI	IST (	OF P	RIC	)R	AF	T	CI.	TE	D BY APPL	.ICANT	APPLICANT T	h, e			
		(Us	0 40	eve	ral	el.	co	ls .	il necessary	·)	FILING ATE		noup		
							-		<del></del>	U.S. PATENT	DOCUMENTS			<del></del>	
EAMINER ITIAL		i	o Cu	HE	HT	KU	MB	ER	DAYE		CLASS	SUBCLASS	FILING DATE IF APPROPRIAT		
	AA	14	Ti	0	5	13	3	8	8/1978	KUro.	<u></u>	352	118		
	AB	3	9	9	2	li	0	4	11/1976	WeJan		357	117		
	AC	5	3	2	9	3	1	17	7/1994		petal.	356	369		
13.	AD	6	2	6	8	9	1	5	7/2001	Joh!		358	369		
	AE	5	2	8	1	3	5	D	12/1996	Che-	352.	369			
	AF 56085263/1					2	6	3/1957	Plustra	358	369				
	AG	6 5.5964111/1997 Fan						Į	1/1997	Fator	etcl.	357	369		
	ÄÄ				-										
	AI	_		·					·	•					
	L L	<u>,                                    </u>								·					
	YK	_	Ц												
· 1		1						1		FOREIGH PATEN	T DOCUMENTS	γ	γ	7 8 4 8 5 1	ATION
		00	CUM	EN	T N	WW	O E	1	DATE	COUN	CLASS	SUBCLASS	TRANSLATION YES H		
	AL.		5	1	8	2	2	8		Sone	T				
	AM									·					<u> </u>
		,,		<del></del> -		01	HE	R	PRIOR ART	(Including Author,	Title, Data, Perlinant Pa				
AR												· ·'			
_						******				<del></del>		····			
	AS	-							. <del> </del>		• .	-			<del></del>
HINER							<del></del>	~~		D.	ATE CONSIDERED				
										1					

U\$COMM-DC #9-3945

t

### PLEASE USE THE FOLLOWING FOR PTO FORM 1449 FOR ARTICLES

Paper by Johs, titled "Regression Calibration Method for Rotating Element Ellipsometers", Thin Solid Films, 234 (1993).

Paper, by Gottesfeld et al., titled "Combined Ellipsometer and Reflectometer Measurements of Surface Processes on Nobel Metals Electrodes", Surface Sci., 56 (1976).

Paper by Smith, titled "An Automated Scanning Ellipsometer", Surface Science, Vol. 56, No. 1. (1976).

Papers, by Azzam and Azzam et al. are also identified as concerning alternative approaches to the goal of the present invention, and are titled:

"Multichannel Polarization State Detectors For Time-Resolved Ellipsometry", Thin Solid Film, 234 (1993); and

"Spectrophotopolarimeter Based On Multiple Reflections In A Coated Dielectric Slab", Thin Solid Films 313 (1998); and

"General Analysis And Optimization Of The Four-Detector Photopolarimeter", J. Opt. Soc. Am., A, Vol. 5, No. 5 (May 1988); and

"Accurate Calibration Of Four-Detector Photopolarimeter With Imperfect Polarization Optical Elements", J. Opt. Soc. Am., Vol. 6, No. 10, (Oct. 1989); and

"Review paper by Collins, titled "Automatic Rotating Element Ellipsometers: Calibration, Operation and Real-Time Applications", Rev. Sci. Instrum., 61(8) (1990), is identified for general information.